














SAMPLE	KEY/SKU	QTY	CUT
	A Blush 2045-29 <i>Deep Rose</i>	1/4 YD	(2) 2" x 29-1/2" strips. (2) 2" x 22-1/2" strips.
	B Blush 2045-91 <i>Dark Green</i>	1/4 YD	(2) 1-1/2" x 42-1/2" strips. (2) 1-1/2" x 38-1/2" strips. >BORDER 2
	C Blush 2045-95 <i>Dark Blue</i>	1/8 YD	FOR WINDOWS: (6) 1-1/2" x 2-1/2" rectangles. (4) 1-1/2" x 3-1/2" rectangles.
	D Panel 4550-55 <i>Multi</i>	1 Panel	Trim panel to 19-1/2" x 29-1/2".
	E Tossed Flowers 4551-33 <i>Light Gold</i>	1/2 YD	(6) 2-1/2" x WOF strips, *subcut (2) 2-1/2" x 47-1/2" strips. (2) 2-1/2" x 45-1/2" strips. >BORDER 4
	F Bouquet 4553-55 <i>Blue</i>	1/3 YD	(12) 3-1/2" x 6-1/2" rectangles.
	G Stripe 4554-10 <i>Red</i>	7/8 YD	(2) 1-1/2" x 32-1/2" strips. >BORDER 1 (2) 2-1/2" x 36-1/2" strips. (7) 2-1/4" x WOF strips; BINDING.
	H Floral Vine 4555-50 <i>Blue</i>	1/2 YD	(2) 2-1/2" x 4-1/2" rectangles for doors. (4) 1-1/2" squares. (8) 2" x 2-1/2" rectangles. (2) 1-1/2" x 2-1/2" strips for chimney. USE SIDE TRIANGLE TEMPLATES FOR FOLLOWING: (2) small side triangles and (2) small side triangles in reverse. (4) large side triangles and (4) large side triangles in reverse.
	I Swirl Texture 4556-33 <i>Gold</i>	2/3 YD	(10) 2" x WOF strips, *subcut (2) 2" x 44-1/2" strips. >BORDER 3 (2) 2" x 41-1/2" strips. (2) 2" x 51-1/2" strips. >BORDER 5 (2) 2" x 48-1/2" strips. (4) 2" x 2-1/2" rectangles.
	J Swirl Texture 4556-44 <i>Green</i>	1/2 YD	(2) 1-1/2" x 6-1/2" strips for house bases. USE TRIANGLE TEMPLATE FOR FOLLOWING: (4) treetops.
	K Swirl Texture 4556-55 <i>Medium Blue</i>	1/4 YD	USE ROOF TOP TEMPLATE FOR FOLLOWING: (2) roof top pieces.
	L Stars'n Sentiments 4557-10 <i>Red</i>	1/4 YD	(2) 1-1/2" x 6-1/2" strips. (8) 1-1/2" x 2-1/2" rectangles. (4) 1-1/2" squares. (2) 1" x 6-1/2" strips. (8) 1" x 3-1/2" strips. (4) 1" x 2-1/2" strips.
	M Stars'n Sentiments 4557-33 <i>Light Gold</i>	1/4 YD	(24) 3-1/2" squares.

*FIRST SEW STRIPS VIA SHORT ENDS THEN SUBCUT AS INDICATED | WOF=WIDTH OF FABRIC

Note: If this Benartex pattern is included in a kit, any questions about the kit should be addressed to the vendor from whom you bought it.


BLOCK ASSEMBLY

1. TREE BLOCK: Sew (1) **H** LARGE SIDE TRIANGLE to each side of (1) **J** TREE TOP TRIANGLE, as shown in diagram. Make 4 **HJ** units. Set aside. Then sew (1) **H** 2" x 2-1/2" rectangle to each end of (1) **I** 2" x 2-1/2" rectangle. Make 4 **HI** units.



Sew (1) **HI** unit to bottom of (1) **HJ** unit to complete TREE BLOCK. Square block to 6-1/2" x 10-1/2". Make 4 TREE BLOCKS.

HOUSE BLOCK: Make units 2-5 below and then sew units together in order of assembly. Square block to 6-1/2" x 12-1/2". Make 2 HOUSE BLOCKS.



2. CHIMNEY UNIT: Sew (1) **H** 1-1/2" square to (1) **L** 1-1/2" square, as shown in diagram. Make 4 **HL** units. Then sew (1) **HL** unit to each end of (1) **H** 1-1/2" x 2-1/2" rectangle. Make 2 **HL-H** units. Square to 1-1/2" x 6-1/2". Set aside.




3. ROOF UNIT: Sew (1) **H** ROOF SIDE TRIANGLE to each side of (1) **K** ROOF PIECE. Make 2 **HK** ROOF UNITS. Square to 3" x 6-1/2". Set aside.

4. WINDOW UNIT: Take (3) **C** and (2) **L** 1-1/2" x 2-1/2" rectangles and sew as follows: **C - L - C - L - C**. Next sew (1) **L** 1" x 2-1/2" strip to each side of **CL** unit. Then add (1) **L** 1" x 6-1/2" strip to top of **CL** unit and (1) **L** 1-1/2" x 6-1/2" strip to bottom. Make 2 WINDOW UNITS. Square to 4" x 6-1/2". Set aside.

5. DOOR UNITS: Sew (1) **C** 1-1/2" x 3-1/2" strip between (2) **L** 1" x 3-1/2" strips. Next add (1) **L** 1-1/2" x 2-1/2" rectangle to bottom of **CL** unit. Make 4 **CL** units. Sew (1) **CL** unit to each side of (1) **H** 2-1/2" x 4-1/2" rectangle. Make 2 **CL-H** units. Add (1) **J** 1-1/2" x 6-1/2" strip to bottom of **CL-H** unit. Square to 5-1/2" x 6-1/2". Make 2 DOOR UNITS.

6. BLOCK ROWS: Sew into a vertical row (1) HOUSE BLOCK between (2) TREE BLOCKS. See *QUILT DIAGRAM*. Make 2 BLOCK ROWS.

7. FLYING GEESE UNIT: Place (1) **M** 3-1/2" square on left side of (1) **F** 3-1/2" x 6-1/2" rectangle, right sides together.




Sew a diagonal line from corner to corner across **M** square (8a.). Trim excess fabric from reverse side to 1/4" from diagonal line and lift **M** triangle and press (8b.). Repeat for right corner (8c.). Make 12 **FM** FLYING GEESE UNITS.

8. Sew (6) FM units together into a horizontal row. Square to 3-1/2" x 36-1/2". See *QUILT DIAGRAM*. Make 2 FM ROWS.

QUILT DIAGRAM

SIZE: 48" x 54"



QUILT / BORDER ASSEMBLY See *QUILT DIAGRAM/PHOTO*.

9. Sew (1) A 2" x 29-1/2" strip to each side of **D** PANEL. Then sew (1) **A** 2" x 22-1/2" strip to top and bottom.

10. Sew BLOCK ROWS to each side of **AD** unit.

11. BORDER 1: Sew (1) **G** 1-1/2" x 32-1/2" strip to each side of quilt top. Sew (1) **G** 2-1/2" x 36-1/2" strip to top and bottom of quilt top.


12. Add FLYING GEESE STRIPS to top and bottom of quilt top, see quilt photo for proper rotation of strips.

13. BORDER 2: Sew (1) **B** 1-1/2" x 42-1/2" strip to each side of quilt top. Sew (1) **B** 1-1/2" x 38-1/2" strip to top and bottom of quilt top.

14. BORDER 3: Sew (1) **I** 2" x 44-1/2" strip to each side of quilt top. Sew (1) **I** 2" x 41-1/2" strip to top and bottom of quilt top.

15. BORDER 4: Sew (1) **E** 2-1/2" x 47-1/2" strip to each side of quilt top. Then sew (1) **E** 2-1/2" x 45-1/2" strip to top and bottom of quilt top.

16. BORDER 5: Sew (1) **I** 2" x 51-1/2" strip to each side of quilt top. Then sew (1) **I** 2" x 48-1/2" strip to top and bottom of quilt top. *SEE PAGE 4 FOR FINISHING.*



**NOTE: PRINT TEMPLATES AT 100%.
MEASURE TEMPLATES AFTER PRINTING
TO INSURE ACCURACY.**

H
LARGE SIDE TRIANGLE
TEMPLATE FOR TREE BLOCK
CUT 4 AS IS AND 4 IN REVERSE

H
SMALL SIDE TRIANGLE
TEMPLATE FOR HOUSE BLOCK
CUT 2 AS IS AND 2 IN REVERSE

J
TREE TOP TEMPLATE
FOR TREE BLOCK

K
ROOF TOP TEMPLATE
FOR HOUSE BLOCK

PLACE THIS LINE ON FOLD

SEAM ALLOWANCE
SEAM ALLOWANCE

6-3/4"

SEAM ALLOWANCE

SEAM ALLOWANCE

1-1/2"

3-5/8"

6-3/4"

FINISHING Cut batting and backing 3" larger than top on all sides. Layer backing, batting and top together and baste or pin. When done quilting, trim excess batting and backing. Bind as usual.